

COLLECTION 2027



Pendant and Decorative Lamps



















TECHNICAL DATA

Model: XGD6200-1300
Size: 1300*120*1500mm
Material: Stainless steel+Spainsh Alabaster
Light source: strip LED 24 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 28W
Light colour [K]: 3000 K or 4000 or 6000 K upon request




TECHNICAL DATA

Model: XGD6200-1700
Size: 1700*120*1500mm
Material: Stainless steel+Spainsh Alabaster
Light source: strip LED 24 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 36W
Light colour [K]: 3000 K or 4000 or 6000 K upon request




TECHNICAL DATA

Model: XGD6201-D800
Size: D800*120*1500mm
Material: Stainless steel+Spainsh Alabaster
Light source: strip LED 24 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 42W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90



TECHNICAL DATA

Model: XGD6201-D1000
Size: D1000*120*1500mm
Material: Stainless steel+Spainsh Alabaster
Light source: strip LED 24 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 55W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90





















TECHNICAL DATA

Model: XGD6101-6
Size: 1200*116*1500mm
Material: Stainless steel+Spanish Alabaster
Light source: LED
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 36W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90



TECHNICAL DATA

Model: XGD6101-8
Size: 1600*116*1500mm
Material: Stainless steel+Spanish Alabaster
Light source: LED
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 48W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90





















TECHNICAL DATA

Model: XGD6100-6
Size: Ø680*1800mm
Material: Stainless steel+Spanish Alabaster
Light source: LED
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 36W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90



TECHNICAL DATA

Model: XGD6100-8
Size: Ø880*1800mm
Material: Stainless steel+Spanish Alabaster
Light source: LED
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 48W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90















TECHNICAL DATA

Model: XGD6300-D800
Size: D800*100*1500mm
Material: Stainless steel+Spanish Alabaster
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 32W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90



TECHNICAL DATA

Model: XGD6300-D1000
Size: D1000*100*1500mm
Material: Stainless steel+Spanish Alabaster
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 40W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90




























TECHNICAL DATA

Model: XGD8801A-1300-4
Size: 1295*150*1500
Material: Stainless steel+GLASS
Light source: G9-LED,4*5W
Input Voltage [V]: 220-240 V or 110-120 V upon request
Light colour [K]: 3000 K or 4000 or 6000 K upon request




TECHNICAL DATA

Model: XGD8801A-1300-4
Size: 1295*150*1500
Material: Stainless steel+GLASS
Light source: G9-LED,6*5W
Input Voltage [V]: 220-240 V or 110-120 V upon request
Light colour [K]: 3000 K or 4000 or 6000 K upon request




TECHNICAL DATA

Model: XGD8801-1300-4
Size: 1295*150*1500
Material: Stainless steel+GLASS
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 16W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90




TECHNICAL DATA

Model: XGD8801-1800-6
Size: 1800*150*1500
Material: Stainless steel+GLASS
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 24W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90




TECHNICAL DATA

Model: XGD8802-1300-4
Size: 1295*150*1500
Material: Stainless steel+GLASS
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 16W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90



TECHNICAL DATA

Model: XGD8802-1800-5
Size: 1800*150*1500
Material: Stainless steel+GLASS
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 20W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90















TECHNICAL DATA

Model: XGD8803-D580
Size: D580*1500
Material: Stainless steel+GLASS
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 12W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90




TECHNICAL DATA

Model: XGD8803-D780
Size: D780*1500
Material: Stainless steel+GLASS
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 16W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90



TECHNICAL DATA

Model: XGD8803-D980
Size: D980*1500
Material: Stainless steel+GLASS
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 16W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90








TECHNICAL DATA

Model: XGD8803-D580+D780
Size: D780*2000
Material: Stainless steel+GLASS
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 28W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90

TECHNICAL DATA

Model: XGD8803-D580+D780+D980
Size: D980*2000
Material: Stainless steel+GLASS
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 42W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90













TECHNICAL DATA

Model: XGD8601-450
Size: Ø450*1500
Material: Stainless steel+PMMC
Light source: strip LED 36 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 16 W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90




TECHNICAL DATA

Model: XGD8601-630
Size: Ø630*1500
Material: Stainless steel+PMMC
Light source: strip LED 36 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 24 W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90




TECHNICAL DATA

Model: XGD8601-835
Size: Ø835*1500
Material: Stainless steel+PMMC
Light source: strip LED 36 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 32 W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90






TECHNICAL DATA

Model: XGD8601-450+630
Size: 916*630*1500
Material: Stainless steel+PMMC
Light source: strip LED 36 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 40 W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90



TECHNICAL DATA

Model:	XGD8601-630+835
Size:	1300*835*1500
Material:	Stainless steel+PMMC
Light source:	strip LED 36 V
Input Voltage [V]:	220-240 V or 110-120 V upon request
Max Power [W]:	56 W
Light colour [K]:	3000 K or 4000 or 6000 K upon request
CRI:	>90















TECHNICAL DATA

Model: XGW8102-600
 Size: 588*100*100mm
 Material: Stainless steel+PMMC
 Light source: strip LED 36 V
 Input Voltage [V]: 220-240 V or 110-120 V upon request
 Max Power [W]: 10 W
 Light colour [K]: 3000 K or 4000 or 6000 K upon request
 CRI: >90




TECHNICAL DATA

Model: XGW8102-900
 Size: 873*100*100mm
 Material: Stainless steel+PMMC
 Light source: strip LED 36 V
 Input Voltage [V]: 220-240 V or 110-120 V upon request
 Max Power [W]: 16 W
 Light colour [K]: 3000 K or 4000 or 6000 K upon request
 CRI: >90




TECHNICAL DATA

Model: XGW8101-600
Size: 588*96*80mm
Material: Stainless steel+PMMC
Light source: strip LED 36 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 10 W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90




TECHNICAL DATA

Model: XGW8101A-600
Size: 588*96*80mm
Material: Stainless steel+PMMC
Light source: strip LED 36 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 10 W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90




TECHNICAL DATA

Model: XGW8101-900
Size: 873*96*80mm
Material: Stainless steel+PMMC
Light source: strip LED 36 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 16 W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90



TECHNICAL DATA

Model: XGW8101A-900
Size: 873*96*80mm
Material: Stainless steel+PMMC
Light source: strip LED 36 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 16 W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90

















TECHNICAL DATA

Model: XGD8104-1300-3
Size: 1300*80*1500mm
Material: Stainless steel+PMMC
Light source: strip LED 36 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 30W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90




TECHNICAL DATA

Model: XGD8104-1600-3
Size: 1600*80*1500mm
Material: Stainless steel+PMMC
Light source: strip LED 36 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 42W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90




TECHNICAL DATA


Model: XGD8105-1200
Size: 1170*48*1500mm
Material: Stainless steel+PMMC
Light source: strip LED 36 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 20W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90




TECHNICAL DATA

Model: XGD8105-1600
Size: 1600*48*1500mm
Material: Stainless steel+PMMC
Light source: strip LED 36 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 30W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90











TECHNICAL DATA

Model: XGD8103-1300-3
Size: 80*1300*2200mm
Material: Stainless steel+PMMC
Light source: strip LED 36 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 30W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90

TECHNICAL DATA

Model: XGD8103-1700-3
Size: 80*1700*2400mm
Material: Stainless steel+PMMC
Light source: strip LED 36 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 42W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90





















TECHNICAL DATA

Model: XGD8900-900
Size: 912*295*1500mm
Material: Stainless steel+PMMC
Light source: strip LED 36 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 20W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90




TECHNICAL DATA

Model: XGD8900-1200
Size: 1200*295*1500mm
Material: Stainless steel+PMMC
Light source: strip LED 36 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 30W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90




TECHNICAL DATA

Model: XGD8901-1600
Size: 1656*295*1500mm
Material: Stainless steel+PMMC
Light source: strip LED 36 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 40W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90



TECHNICAL DATA

Model: XGD8901-2200
Size: 2235*295*1500mm
Material: Stainless steel+PMMC
Light source: strip LED 36 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 60W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90













TECHNICAL DATA

Model: XGD8902-4
Size: D960*1130mm
Material: Stainless steel+PMMC
Light source: strip LED 36 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 24W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90




TECHNICAL DATA

Model: XGD8902-6
Size: D960*1130mm
Material: Stainless steel+PMMC
Light source: strip LED 36 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 36W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90




TECHNICAL DATA

Model: XGC8902-4
Size: D960*1130mm
Material: Stainless steel+PMMC
Light source: strip LED 36 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 24W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90




TECHNICAL DATA

Model: XGC8902-6
Size: D960*1130mm
Material: Stainless steel+PMMC
Light source: strip LED 36 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 36W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90



















TECHNICAL DATA


Model: XGW8701-900
Size: 855*32*55mm
Material: Aluminum+Glass
Light source: strip LED 36 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 9 W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90

TECHNICAL DATA

Model: XGW8701-1200
Size: 1140*32*55mm
Material: Aluminum+Glass
Light source: strip LED 36 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 13 W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90


TECHNICAL DATA

Model: XGW8701-1600
Size: 1570*32*55mm
Material: Aluminum+Glass
Light source: strip LED 36 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 18 W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90




TECHNICAL DATA

Model: XGD8702-1200
Size: 1140*35*1500mm
Material: Aluminum+Glass+Leather
Light source: strip LED 36 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 13W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90




TECHNICAL DATA

Model: XGD8702-1600
Size: 1570*35*1500mm
Material: Aluminum+Glass+Leather
Light source: strip LED 36 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 18W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90



TECHNICAL DATA

Model:	XGD8702-1200+1600
Size:	2200*185*1800mm
Material:	Aluminum+Glass+Leather
Light source:	strip LED 36 V
Input Voltage [V]:	220-240 V or 110-120 V upon request
Max Power [W]:	30W
Light colour [K]:	3000 K or 4000 or 6000 K upon request
CRI:	>90























TECHNICAL DATA

Model: XGD8201-1300
Size: 1300*1500mm
Material: Stainless steel
Light source: COB LED 36 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 18W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90




TECHNICAL DATA

Model: XGD201-1600
Size: 1600*1500mm
Material: Stainless steel
Light source: COB LED 36 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 28W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90




TECHNICAL DATA

Model: XGD8202-680
Size: Ø680*1500mm
Material: Stainless steel
Light source: COB LED 36 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 28W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90





TECHNICAL DATA

Model: XGD8202-880
Size: Ø880*1500mm
Material: Stainless steel
Light source: COB LED 36 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 28W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90



TECHNICAL DATA

Model:	XGD8202-680+880
Size:	880*1800mm
Material:	Stainless steel
Light source:	COB LED 36 V
Input Voltage [V]:	220-240 V or 110-120 V upon request
Max Power [W]:	28+28W
Light colour [K]:	3000 K or 4000 or 6000 K upon request
CRI:	>90













TECHNICAL DATA



Model: XGD8401-1500
Size: 1509*45*1500
Material: Stainless steel+PMMC
Light source: strip LED 36 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 22 W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90



ITEM NO. • EQ260016-CCT
MATERIAL • METAL+GLASS
LAMP HOLDER • 8W
SIZE • D250*H1200MM

TECHNICAL DATA

Model: XGD8401-1800
Size: 1800*45*1500
Material: Stainless steel+PMMC
Light source: strip LED 36 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 28 W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90











TECHNICAL DATA

Model: XGD8402-1200
Size: 1225*80*1500
Material: Stainless steel+PMMC
Light source: strip LED 36 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 30 W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90



TECHNICAL DATA

Model: XGD8402-1600
Size: 1585*80*1500
Material: Stainless steel+PMMC
Light source: strip LED 36 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 36 W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90















TECHNICAL DATA

Model: XGD8405-600
Size: 55*600+1000
Material: Aluminum+PMMC
Light source: strip LED 24 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 18 W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90

TECHNICAL DATA


Model: XGD8405-900
Size: 55*900+1000
Material: Aluminum+PMMC
Light source: strip LED 24 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 24 W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90

TECHNICAL DATA

Model: XGD8501-1200
Size: 55*1200+1000
Material: Aluminum+PMMC
Light source: strip LED 24 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 30 W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90


TECHNICAL DATA

Model: XGD8501-1500
Size: 55*1500+1000
Material: Aluminum+PMMC
Light source: strip LED 24 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 36 W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90




TECHNICAL DATA

Model: XGD8406-900
Size: 900*55*1500
Material: Aluminum+PMMC
Light source: strip LED 24 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 24 W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90




TECHNICAL DATA

Model: XGD8405-1200
Size: 1200*55*1500
Material: Aluminum+PMMC
Light source: strip LED 24 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 30 W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90




TECHNICAL DATA

Model: XGD8405-1500
Size: 1500*55*1500
Material: Aluminum+PMMC
Light source: strip LED 24 V
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 36 W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90













TECHNICAL DATA

Model: XGW8501-800
Size: 80*60*800mm
Material: Stainless steel+PC
Light source: strip LED
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 6W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90




TECHNICAL DATA

Model: XGW8501-1000
Size: 80*60*1000mm
Material: Stainless steel+PC
Light source: strip LED
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 8W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90




TECHNICAL DATA


Model: XGW8502-800
Size: 50*38*800mm
Material: Stainless steel+PC
Light source: strip LED
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 12W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90



TECHNICAL DATA

Model: XGW8502-1000
Size: 50*38*1000mm
Material: Stainless steel+PC
Light source: strip LED
Input Voltage [V]: 220-240 V or 110-120 V upon request
Max Power [W]: 16W
Light colour [K]: 3000 K or 4000 or 6000 K upon request
CRI: >90





ITEMNO. EQ260016-CCT
MATERIAL. METAL+GLASS
LAMP HOLDER. 3W
SIZE. D250*H1200MM

150




ITEMNO. EQ260016-3H-CCT
MATERIAL. METAL+GLASS
LAMP HOLDER. 40W
SIZE. L1050*W250*H1200MM


ITEMNO• EQ260016-5H-CCT
MATERIAL• METAL+GLASS
LAMP HOLDER• 45W
SIZE• Ø710*H1200MM



ITEMNO• EQ260016-7H-CCT
MATERIAL• METAL+GLASS
LAMP HOLDER• 21W
SIZE• L1360*W410*H1200MM



ITEMNO• EQ260006A-WH-CCT
 MATERIAL• METAL+GLASS
 LAMP HOLDER• 45W
 COLOR• WH
 SIZE• D210*H1200MM




ITEMNO• EQ260006B-WH-CCT
 MATERIAL• METAL+GLASS
 LAMP HOLDER• 25W
 COLOR• WH
 SIZE• D400*H1200MM



ITEMNO• EQ260006C-WH-CCT
 MATERIAL• METAL+GLASS
 LAMP HOLDER• 25W
 COLOR• WH
 SIZE• D400*H200MM

ITEMNO• EQ260007-WH-CCT
MATERIAL• METAL+GLASS
LAMP HOLDER• 15W*3
COLOR• WH
SIZE• L910*W210*H1200MM



ITEMNO• EQ260008-WH-CCT
MATERIAL• METAL+GLASS
LAMP HOLDER• 15W*4
COLOR• WH
SIZE• L1600*W210*H1200MM



ITEMNO• EQ260002-1W-BK-CCT
MATERIAL• METAL+ALUMIUM
LAMP HOLDER• 40W
COLOR• BK
SIZE• L150*D120*H455MM



ITEMNO• EQ260002-BK-CCT
MATERIAL• METAL+ALUMIUM
LAMP HOLDER• 48W
COLOR• BK
SIZE• L790*W45*H1200MM



ITEMNO• EQ260002-1W-BK-CCT
 MATERIAL• METAL+ALUMIUM
 LAMP HOLDER• 40W
 COLOR• WH
 SIZE• L150*D120*H455MM




ITEMNO• EQ260002-BK-CCT
 MATERIAL• METAL+ALUMIUM
 LAMP HOLDER• 48W
 COLOR• WH
 SIZE• L790*W45*H1200MM



ITEMNO• EQ260005W-BK-CCT
 MATERIAL• METAL+ALUMIUM
 LAMP HOLDER• 40W
 COLOR• WH
 SIZE• L145*W120*H345MM





ITEMNO• EQ260005-BK-CCT
 MATERIAL• METAL+ALUMIUM+GLASS
 LAMP HOLDER• 25W
 COLOR• WH
 SIZE• L800*W90**H1200MM



ITEMNO• EQ260005-BK-CCT
 MATERIAL• METAL+ALUMIUM+GLASS
 LAMP HOLDER• 25W
 COLOR• WH
 SIZE• L700*W200*H150MM

ITEMNO• EQ260010-CCT
 MATERIAL• METAL+GLASS
 LAMP HOLDER• 40W
 COLOR• BK
 SIZE• Ø120*1200MM



ITEMNO• EQ260011-CCT
 MATERIAL• METAL+GLASS
 LAMP HOLDER• 40W*5
 COLOR• BK
 SIZE• Ø420*1200MM



ITEMNO• EQ260012-CCT
 MATERIAL• METAL+GLASS
 LAMP HOLDER• 40W*5
 COLOR• BK
 SIZE• L1000*W120*1200MM



ITEMNO• EQ260014-CCT
 MATERIAL• METAL+GLASS
 LAMP HOLDER• 45W
 COLOR• BK
 SIZE• Ø500*100MM

ITEMNO• EQ260013-CCT
 MATERIAL• METAL+GLASS
 LAMP HOLDER• 40W
 COLOR• BK
 SIZE• L450*W200*100MM



ITEMNO• EQ260015-CCT
 MATERIAL• METAL+GLASS
 LAMP HOLDER• 20W
 COLOR• BK
 SIZE• L650*W460*100MM






ITEMNO• EQ260017
 MATERIAL• METAL+CRYSTAL
 LAMP HOLDER• 25W
 SIZE• Ø400*H160MM



ITEMNO• EQ260018
 MATERIAL• METAL+CRYSTA
 LAMP HOLDER• 40W
 SIZE• Ø600*H1200MM



ITEMNO• EQ260026-CH-40-CCT
 MATERIAL• METAL+CRYSTAL +ACRYLIC
 LAMP HOLDER• 28W
 COLOR• CH
 SIZE• D400*H1200MM



ITEMNO• EQ260026-CH-60-CCT
 MATERIAL• METAL+CRYSTAL +ACRYLIC
 LAMP HOLDER• 40W
 COLOR• CH
 SIZE• D400*H1200MM

ITEMNO• EQ260027-CH-CCT
MATERIAL• METAL+CRYSTAL +ACRYLIC
LAMP HOLDER• 60W
COLOR• CH
SIZE• L1000*W350*H1200MM



ITEMNO• EQ260028-CH-60+40-CCT
MATERIAL• METAL+CRYSTAL +ACRYLIC
LAMP HOLDER• 68W
COLOR• CH
SIZE• D600+D400*H1200MM





ITEMNO• EQ260009-BK/SN
MATERIAL• METAL+GLASS
LAMP HOLDER• 6*G9
COLOR• BK/SN
SIZE• L1200*W730*H1200MM





ITEMNO• EQ260019
MATERIAL• METAL
LAMP HOLDER• E27*1
COLOR• BK +GD
SIZE• D400*H260MM




ITEMNO• EQ260020
MATERIAL• METAL
LAMP HOLDER• E27*1
COLOR• BK +GD
SIZE• D400*H1200MM




ITEMNO• EQ260021
MATERIAL• METAL
LAMP HOLDER• E27*3
COLOR• BK +GD
SIZE• D400*H1200MM



ITEMNO• EQ260022
MATERIAL• METAL
LAMP HOLDER• E27*3
COLOR• BK +GD
SIZE• L950*W280*H1200MM



ITEMNO• EQ260003-1H
 MATERIAL• METAL+ROPE
 LAMP HOLDER• E27*1
 COLOR• BK
 SIZE• D520*H1200MM



ITEMNO• EQ260004-40
 MATERIAL• METAL+ROPE
 LAMP HOLDER• E27*1
 COLOR• BK
 SIZE• D400*H1200MM



ITEMNO• EQ260004-60
 MATERIAL• METAL+ROPE
 LAMP HOLDER• E27*1
 COLOR• BK
 SIZE• D600*H1200MM



ITEMNO• EQ260001-1W
 MATERIAL• METAL
 LAMP HOLDER• E27*1
 COLOR• BK
 SIZE• L330*W250*H215MM



ITEMNO• EQ260001-1A
 MATERIAL• METAL
 LAMP HOLDER• E27*1
 COLOR• BK
 SIZE• D500*H1200MM



ITEMNO• EQ260001-1B
 MATERIAL• METAL
 LAMP HOLDER• E27*1
 COLOR• BK
 SIZE• D800*H1200MM



ITEMNO• EQ260001-1C
 MATERIAL• METAL
 LAMP HOLDER• E27*1
 COLOR• BK
 SIZE• D500*H1200MM



ITEMNO• EQ260023T-GD
MATERIAL• METAL+GLASS
LAMP HOLDER• 8W
COLOR• GD
SIZE• D130*H250MM



ITEMNO• EQ260023T-SN
MATERIAL• METAL+GLASS
LAMP HOLDER• 8W
COLOR• SN
SIZE• D130*H250MM



ITEMNO• EQ260024
 MATERIAL• METAL+GLASS
 LAMP HOLDER• 43W
 COLOR• BK
 SIZE• Ø250*H280MM



ITEMNO• EQ260024-3H-CCT
 MATERIAL• METAL+GLASS
 LAMP HOLDER• 89W
 COLOR• BK
 SIZE• Ø380*H1200MM




ITEMNO• EQ260024-6H-CCT
 MATERIAL• METAL+GLASS
 LAMP HOLDER• 78W
 COLOR• BK
 SIZE• L1000*W490*H1200MM

ITEMNO• EQ260025-3H
MATERIAL• METAL+GLASS
LAMP HOLDER• 3*E27
COLOR• WH
SIZE• D380*H1200MM



ITEMNO• EQ260025
MATERIAL• METAL+CRYSTAL
LAMP HOLDER• 1*E27
COLOR• WH
SIZE• D350*H1200MM



ITEMNO• EQ260025-4H
MATERIAL• METAL+GLASS
LAMP HOLDER• 4*E27
COLOR• WH
SIZE• L1000*W160*H1200MM





ITEMNO• EQ260028-CCT
 MATERIAL• METAL+CRYSTAL +GLASS
 LAMP HOLDER• 5W
 COLOR• BK
 SIZE• D180*H1200MM




ITEMNO• EQ260029-CCT
 MATERIAL• METAL+CRYSTAL +GLASS
 LAMP HOLDER• 45W
 COLOR• BK
 SIZE• D500*H1200MM






















1. Item No : JF0159P-1C (black color)
2. Item name: Pendant lamp
3. Material : aluminum ,metal,PVC
4. Size: D600mm
5. 5. Light Source: LED49W 3000K



1. Item No : JF0159P-1B (brass-3 color)
2. Item name: Pendant lamp
3. Material : aluminum ,metal,PVC
4. Size: D600mm
5. 5. Light Source: LED49W 3000K



1. Item No : JF0159P-1A (sany color)
2. Item name: Pendant lamp
3. Material : aluminum ,metal,PVC
4. Size: D600mm
5. 5. Light Source: LED49W 3000K



1. Item No : JF0159P-1D (white color)
2. Item name: Pendant lamp
3. Material : aluminum ,metal,PVC
4. Size: D600mm
5. 5. Light Source: LED49W 3000K



1. Item No : JF0155P-2B (black color)
2. Item name: Pendant lamp
3. Material : aluminum ,metal,PVC
4. Size: D600mm
5. 5. Light Source:





1. Item No : JF0155P-1B (Gun black color)
2. Item name: Pendant lamp
3. Material : aluminum ,metal,PVC
4. Size: D400mm
5. Light Source: LED 23W 3000K



1. Item No : JF0155P-1A (Brass-3 color)
2. Item name: Pendant lamp
3. Material : aluminum ,metal,PVC
4. Size: D400mm
5. 5. Light Source: LED 23W 3000K



1. Item No : JF0154P-2B (Brass-3 color)
2. Item name: Pendant lamp
3. Material : aluminum ,metal,PVC
4. Size: D540mm
5. 5. Light Source: LED 39W 3000K



1. Item No : JF0154P-2A (sandy color)
2. Item name: Pendant lamp
3. Material : aluminum ,metal,PVC
4. Size: D540mm
5. Light Source: LED 39W 3000K



1. Item No : JF0154P-1B (brass-3 color)
2. Item name: Pendant lamp
3. Material : aluminum ,metal,PVC
4. Size:
5. 5. Light Source:




1. Item No : JF0154P-1A (sandy color)
2. Item name: Pendant lamp
3. Material : aluminum ,metal,PVC
4. Size:
5. 5. Light Source:



1. Item No : JF0171P-1A (sandy color)
2. Item name: Pendant lamp
3. Material : aluminum ,metal,PVC
4. Size: L1200*250*250mm
5. Light Source: LED78W 3000K



1. Item No : JF0172P-1A (sandy color)
2. Item name: Pendant lamp
3. Material : aluminum ,metal,PVC
4. Size: L1300*H300mm
5. Light Source: LED78W 3000K



1. Item No : JF0153P-A (Gold color)
2. Item name: Pendant lamp
3. Material : aluminum ,metal,PVC
4. Size: L1200mm
5. Light Source: LED40W 3000K



1. Item No : JF0153P-B (brass-3 color)
2. Item name: Pendant lamp
3. Material : aluminum ,metal,PVC
4. Size: L1200mm
5. Light Source: LED40W 3000K



1. Item No :
2. Item name: table lamp.floor lamp
3. Material : aluminum ,metal,PVC
4. Size:
5. Light Source:



1. Item No : JF0151P-A (Gold + White color)
2. Item name: Pendant lamp
3. Material : aluminum ,metal,PVC
4. Size: D400mm
5. Light Source: LED 35W 3000k



1. Item No : JF0151P-B (Gold + White color)
2. Item name: Pendant lamp
3. Material : aluminum ,metal,PVC
4. Size: D500mm
5. Light Source: LED 49W 3000k



1. Item No : JF0151P-C (Gold + White color)
2. Item name: Pendant lamp
3. Material : aluminum ,metal,PVC
4. Size: D600mm
5. Light Source: LED 58W 3000k



1. Item No : JF0152C-A (Gold + White color)
2. Item name: Ceiling lamp
3. Material : aluminum ,metal,PVC
4. Size: D400mm
5. Light Source: LED 32W 3000k



1. Item No : JF0152C-B (Gold + White color)
2. Item name: Ceiling lamp
3. Material : aluminum ,metal,PVC
4. Size: D500mm
5. Light Source: LED 40W 3000k



1. Item No : JF0165P-A (Brass-3)
2. Item name: Pendant lamp
3. Material : aluminum ,metal,rylic
4. Size: D400mm
5. Light Source: LED 17W 3000k



1. Item No : JF0165P-1B(Gun black)
2. Item name: Pendant lamp
3. Material : aluminum ,metal,arylic
4. Size: D500mm
5. Light Source: LED 23W 3000k



1. Item No : JF0165P-1C(Sand black)
2. Item name: Pendant lamp
3. Material : aluminum ,metal,rylic
4. Size: D500mm
5. Light Source: LED 23W 3000k



1. Item No : JF0165P-1D(Brass-3)
2. Item name: Pendant lamp
3. Material : aluminum ,metal,rylic
4. Size: D600mm
5. Light Source: LED 27W 3000k



1. Item No : JF0165P-2A(Brass-3)
2. Item name: Pendant lamp
3. Material : aluminum ,metal,rylic
4. Size: D400+600mm
5. Light Source: LED 41W 3000k



1. Item No : JF0165P-3A(sandy color)
2. Item name: Pendant lamp
3. Material : aluminum ,metal,rylic
4. Size: D400+600+800mm
5. Light Source: LED 80W 3000k



1. Item No : JF0164P-3A(Brass-3)
2. Item name: Pendant lamp
3. Material : aluminum ,metal,rylic
4. Size: D200+400+600mm
5. Light Source: LED 80W 3000k



1. Item No : JF0166P-1A(Brass-3)
2. Item name: Pendant lamp
3. Material : aluminum ,metal,rylic
4. Size: D400mm
5. Light Source: LED 17W 3000k



1. Item No : JF0166P-1B(Brass-3)
2. Item name: Pendant lamp
3. Material : aluminum ,metal,arylic
4. Size: D600mm
5. Light Source: LED 27W 3000k



1. Item No : JF0166P-2A(sandy color)
2. Item name: Pendant lamp
3. Material : aluminum ,metal,rylic
4. Size: D400+600mm
5. Light Source: LED 41W 3000k





Size (mm)	color	specification
D560*H320mm	black	LED 10W*11,3000K,6600LM Eaglerise driver,chip:Philips CRI:80 warranty :3 years Material:metal+plastic



Size (mm)	color	specification
D15*H8.5cm	black	LED 10W,3000K,600LM Eaglerise driver,chip:Philips CRI:80 warranty :3 years Material:metal+plastic



Size (mm)	color	specification
L100*H150cm	black	LED 10W*4,3000K,2400LM Eaglerise driver,chip:Philips CRI:80 warranty :3 years Material:metal+plastic




Size (mm)	color	specification
D30*H150cm	black	LED 10W*5,3000K,3000LM Eaglerise driver,chip:Philips CRI:80 warranty :3 years Material:metal+plastic




Size (mm)	color	specification
D250*H380mm	black	LED 10W*2,3000K,120LM Eaglerise driver,chip:Philips CRI:80 warranty :3 years Material:metal+plastic



Size (mm)	color	specification
H1520mm	black	LED 10W*3,3000K,1800LM Eaglerise driver,chip:Philips CRI:80 warranty :3 years Material:metal+plastic



Size (mm)	color	specification
D16*H150CM	nickel	LED 5W 3000K,300LM Eaglerise driver,chip:Philips CRI:80 warranty :3 years Material:metal




Size (mm)	color	specification
D25*H150CM	nickel	LED 5W*3 3000K,900LM Eaglerise driver,chip:Philips CRI:80 warranty :3 years Material:metal




Size (mm)	color	specification
D30*H150CM	nickel	LED 5W*5 3000K,1440LM Eaglerise driver,chip:Philips CRI:80 warranty :3 years Material:metal



Size (mm)	color	specification
D18*H51CM	nickel	LED 5W*2 3000K,600LM Eaglerise driver,chip:Philips CRI:80 warranty :3 years Material:metal



Size (mm)	color	specification
D27*H160CM	nickel	LED 5W*3 3000K,900LM Eaglerise driver,chip:Philips CRI:80 warranty :3 years Material:metal



Size (mm)	color	specification
D16*H150cm	nickel	LED 5W 3000K,300LM Eaglerise driver,chip:Philips CRI:80 warranty :3 years Material:metal



Size (mm)	color	specification
D30*H150cm	nickel	LED 5W*3 3000K,900LM Eaglerise driver,chip:Philips CRI:80 warranty :3 years Material:metal



Size (mm)	color	specification
D38*H150cm	nickel	LED 5W*5 3000K,1500LM Eaglerise driver,chip:Philips CRI:80 warranty :3 years Material:metal




Size (mm)	color	specification
D28*H38cm	nickel	LED 5W 3000K,300LM Eaglerise driver,chip:Philips CRI:80 warranty :3 years Material:metal






Size (mm)	color	specification
D28*H152cm	nickel	LED 5W*3 3000K,900LM Eaglerise driver,chip:Philips CRI:80 warranty :3 years Material:metal



Size (mm)	color	specification
L1200*H1800mm	nickel	LED 5W*4 3000K,1200LM Eaglerise driver,chip:Philips CRI:80 warranty :3 years Material:metal



Size(mm)	color	specification	Material
D320mm	beige/white/wood	LED 18W 3000K,1080LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal+acrylic
D500mm	beige/white/wood	LED 36W 3000K,2160LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal+acrylic




Size (mm)	color	specification	Material
D450*H100mm	black/white/red	LED 24W 3000K,1920LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal+acrylic



Size(mm)	color	specification	Material
D400*H60 mm	white/ black	LED 24W 3000K,1920LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal+acrylic
D600*H60 mm	white/ black	LED 42W 3000K,2520LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal+acrylic
D800*H60 mm	white/ black	LED 60W 3000K,4800LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal+acrylic



Size(mm)	color	specification	Material
D400*H100mm	beige/white/ black	LED 24W 3000K,1440LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal+acrylic
D500*H100mm	beige/white/ black	LED 36W 3000K, 2160LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal+acrylic




Size(mm)	color	specification	Material
D400*H100mm	beige/white/ black	LED 24W 3000K,1440LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal+acrylic
D500*H100mm	beige/white/ black	LED 36W 3000K, 2160LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal+acrylic



Size (mm)	color	specification	Material
D12*H16cm	nickel/gun black/chrome	LED 5W 3000K, 300LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal+glass



Size (mm)	color	specification	Material
L30*H10cm	nickel/gun black/chrome	LED 10W 3000K, 300LM Eaglerise driver, chip: Philips, CRI:80 warranty :3 years	metal+glass




Size (mm)	color	specification	Material
D25*H13cm	gold/chrome	LED 8W 3000K, 480LM Eaglerise driver, chip: Philips, CRI:80 warranty :3 years	metal+plastic



Size (mm)	color	specification	Material
D100*H150mm	rose gold	LED 5W 3000K, 300LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal+glass



Size (mm)	color	specification	Material
L100*H150cm	rose gold	LED 5W*5 3000K, 1500LM Eaglerise driver, chip: Philips, CRI:80 warranty :3 years	metal+glass



Size (mm)	color	specification	Material
D30*H150cm	rose gold	LED 5W*5 3000K, 1500LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal+glass



Size (mm)	color	specification	Material
D30*H150cm	beige/chrome/black	LED 18W 3000K, 1080LM Eaglerise driver, chip: Philips, CRI:80 warranty :3 years	metal+glass




Size (mm)	color	specification	Material
L1400*H1500mm	warm grey+orange+dark blue	LED 6W*6 3000K,2160LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal+acrylic



Size (mm)	color	specification	Material
H1400mm	warm grey+orange+dark blue	LED 6W*3 3000K,1080LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal+acrylic



Size (mm)	color	specification	Material
D8*H150cm	white/black	LED 8W 3000K,480LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal+acrylic




Size (mm)	color	specification	Material
D25*H150cm	white/black	LED 8W*3 3000K,1440LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal+acrylic



Size (mm)	color	specification	Material
D30*H150cm	white/black	LED 8W*5 3000K,2400LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal+acrylic



Size (mm)	color	specification	Material
D8*H150cm	white/black	LED 8W 3000K,480LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal+acrylic



Size (mm)	color	specification	Material
L50*H150cm	white/ black	LED 8W*3 3000K,1440LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal+acrylic



Size (mm)	color	specification	Material
D30*H150cm	white/ black	LED 8W*5 3000K,2400LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal+acrylic





Size (mm)	color	specification	Material
L40*H150cm	black/white	LED 8W*3,3000K,1440LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal




Size (mm)	color	specification	Material
D20*H150cm	black/white	LED 8W*3,3000K,1440LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal



Size (mm)	color	specification	Material
D30*H150cm	black/white	LED 8W*5,3000K,2400LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal



Size(mm)	color	specification	Material
L13*H150cm	blue/green/beige /coffee	LED 3W 3000K,180LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal
L22*H150cm	blue/green/beige /coffee	LED 3W 3000K,180LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal




Size(mm)	color	specification	Material
L40*H150cm	blue/green/beige/coffee	LED 3W*4 3000K,720LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal





Size(mm)	color	specification	Material
L9cm	blue/green/beige/coffee	LED 6W 3000K,360LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal
L13cm	blue/green/beige/coffee		meta
L22cm	blue/green/beige/coffee		metal





Size(mm)	color	specification	Material
L13cm	blue/green/beige /coffee	LED 3W 3000K,180LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal




Size(mm)	color	specification	Material
D110*H1500mm	black+smoky grey	LED 8W 3000K,480LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal+glass
D153*H1500mm	black+smoky grey		
D195*H1500mm	black+smoky grey		
D250*H1500mm	black+smoky grey	LED 8W*3 3000K,1440LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal+glass




Size(mm)	color	specification	Material
D500*H1500mm	black+smoky grey	LED 8W*6 3000K,2880LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal+glass



Size (mm)	color	specification	Material
L1500*H1800mm	black/nickel	LED 36W 3000K,2880LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal+acrylic




Size(mm)	color	specification	Material
D400*H1800mm	black/nickel	LED 24W 3000K,1440LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal+acrylic
D600*H1800mm	black/nickel	LED 36W 3000K,2880LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal+acrylic
D800*H1800mm	black/nickel	LED 52W 3000K,3120M Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal+acrylic



Size (mm)	color	specification	Material
L1500*H1800mm	black/nickel	LED 36W 3000K,2880LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal+acrylic



Size(mm)	color	specification	Material
D250*H1500mm	warm gray	LED 8W*3 3000K,1440LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal+glass
D300*H1500cm	warm gray	LED 8W*5 3000K,2400LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal+glass




Size (mm)	color	specification	Material
L120*W1*H180mm	warm gray	LED 8W 3000K,480LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal



Size (mm)	color	specification	Material
D280*H540mm	red/black	LED 8W*2 3000K,960LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal+glass



Size(mm)	color	specification	Material
D15*H150cm	black+smoky	LED 8W 3000K,480LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal+plastic
D50*H150cm	black+smoky	LED 8W*3 3000K,1440LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal+plastic
L500*H1500cm	black+smoky	LED 8W*3 3000K,1440LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal+plastic



Size(mm)	color	specification	Material
D15*H150cm	chrome+clear	LED 8W 3000K,480LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal+plastic
D50*H150cm	chrome+clear	LED 8W*3 3000K,1440LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal+plastic
L500*H1500cm	chrome+clear	LED 8W*3 3000K,1440LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal+plastic



Size (mm)	color	specification	Material
D400+600+800*H1800mm	black/silver	LED 60W 3000K,3600LM Eaglerise driver,chip:Philips, CRI:80 warranty :3 years	metal+acrylic